Town of Derry Manpower & Equipment Bid RFP

CONTRACTOR NAME:	_		
1. BACKHOE WITH OPERAT (MINIMUM THREE YEAR			
YEAR/MAKE MODEL	<u>GVW</u>	<u>MAX DEPTH</u>	HOURLY RATE
2. EXCAVATOR WITH OPER (MINIMUM THREE YEAR <u>YEAR/MAKE/MODEL</u>		<u>MAX DEPTH</u>	HOURLY RATE
3. LOADER-FRONT END WIT (MINIMUM TWO YEARS <u>YEAR/MAKE/MODEL</u>		MAX DEPTH	HOURLY RATE
4. BULLDOZER (MINIMUM FOUR YEARS <u>YEAR/MAKE/MODEL</u>	EXPERIENCE*) <u>GVW</u>		HOURLY RATE
5. RUBBER TIRED EXCAVAT (MINIMUM FIVE YEARS F <u>YEAR/MAKE/MODEL</u>	•		HOURLY RATE

B18-106

6. GRADER (MINIMUM FIVE YEARS EXPERIENCE*) YEAR/MAKE/MODEL GVW

HOURLY RATE

7. DUMP TRUCK (6 WHEELS) (CDLB REQUIRED. UP TO DATE MEDICAL CARD) YEAR/MAKE/MODEL GVW

HOURLY RATE

8. DUMP TRUCK (10 WHEEL) (CDLB REQUIRED. UP TO DATE MEDICAL CARD) <u>YEAR/MAKE/MODEL</u><u>GVW</u>

HOURLY RATE

9. VIBRATORY ROLLER

YEAR/MAKE/MODEL

10. PLATE COMPACTOR

DAILY RATE

*MINIMUM EXPERIENCE WILL BE ON THE PIECE OF EQUIPMENT SPECIFIED.

YEAR/MAKE/MODEL GVW

HOURLY RATE

GVW

11. PAVEMENT CUTTER

SAW TYPE

12. PIPE SAW

13. AIR COMPRESSORS WITH TOOLS

14. PICK UP TRUCK

YEAR/MAKE/MODEL

15. JOB FOREMAN & LABORERS

- Job Forman *

- Laborers

* The need for a job foreman, will be determined by the Town. Contractors should not assume that each job would require a foreman.

GVW

16. HEAVY EQUIPMENT OPERATOR

CAPABLE OF OPERATING HEAVY EQUIPMENT TO INCLUDE; BULLDOZERS UP TO D-9, EXCAVATORS UP TO 235 CAT., DUMP TRUCKS UP TO TRI-XLE, ETC. MINIMUM (SIX (6) YEARS EXPERIENCE.

HOURLY RATE

3

HOURLY RATE

DAILY RATE

HOURLY RATE

DAILY RATE

DAILY RATE

17. BULLDOZER (D-8 OR EQUIVALENT W/OPERATOR)

YEAR/MAKE/MODEL

HOURLY RATE

18. BULLDOZER (D-9 OR EQUIVALENT W/OPERATOR)

YEAR/MAKE/MODEL

HOURLY RATE

19. BULLDOZER (D4 OR EQUIVALENT W/OPERATOR) (MINIMUM THREE YEARS EXPERIENCE) **YEAR/MAKE/MODEL**

HOURLY RATE

RATE

RATE

20. OTHER EQUIPMENT

PLEASE LIST WITH RATES

EQUIPMENT NAME

21. ROADSIDE MOWING

EQUIPMENT NAME

22. DRAINAGE INSTALLATION

This work will include all tools, trucks, manpower, traffic control, signs, and equipment necessary to install dual wall polyethylene pipe(aka.ADS or Hancor). It will include all labor to excavate, lay pipe to grade, and backfill in compacted lifts. All sand, gravel, stone, and pipe material will be supplied by the Town, but must be picked up by the contractor at the "Town Yard" unless otherwise agreed upon. Work to be completed at the direction and supervision of department employees. * Does not include ledge excavation.

6"ADS (underdrain)	2'-3' deep	\$ /foot
12"ADS	3'-5' deep	\$ /foot
12"ADS	6'-9' deep	\$ /foot
12"ADS	7'-12'deep	\$ /foot
15"ADS	3'-5' deep	\$ /foot
15"ADS	6'-9' deep	\$ /foot
15"ADS	7'-12' deep	\$ /foot
18"ADS	3'-5' deep	\$ /foot
18"ADS	6'-9' deep	\$ /foot
18"ADS	7'-12' deep	\$ /foot
24"ADS	3'-5' deep	\$ /foot
24"ADS	6'-9' deep	\$ /foot
24"ADS	7'-12' deep	\$ /foot
30"ADS	3'-5' deep	\$ /foot
30"ADS	6'-9' deep	\$ /foot
30"ADS	7'-12' deep	\$ /foot

Catch Basins Installed and backfilled.

All materials to be supplied by the town including sumps, risers, cones, top slabs, bricks, blocks, and mortar. These materials will be picked up by the contractor at the "Town Yard" unless otherwise agreed upon. Vertical footage will be measured from the bottom of the sump to the top of the rim on the casting.

4' inside diameter	\$ / Vertical foot
6' inside diameter	\$ / Vertical foot

Ledge

If ledge is encountered on projects under the above reference work the Town will be responsible for costs associated with blasting and/or hoe ramming of the ledge.

Note:

Usage of this item for drainage installation will be based on a typical one-day minimum of work (150-200 linear feet, plus one structure). * Contractors should be aware that the Town will insist that proper compaction techniques be utilized to provide a stable and safe trench. These techniques must conform to N.H.D.O.T. specifications.

These prices are based on installation of pipe in areas with little or no buried utilities on roadways with light traffic. Prices will be renegotiated in areas with multiple utilities and/or high traffic volumes. Furthermore, these prices reflect graveling to grade and do not include pavement restoration.

If conditions or circumstances dictate, the Town reserves the right to revert to the hourly equipment/manpower rates of the contractor performing the work, therefore it is important that contractors who submit bids for this item also submit bids for equipment/manpower rental. Additionally, the Town reserves the right to discharge said contractor if work is not progressing in a satisfactory manner. This decision will be at the Town's discretion.

* The reference to minimum work of 150-200 feet per day refers to installation of new drainage piping; conditions and circumstances may allow or restrict the lineal footage in any particular day.

23. HYDRANT SNOW REMOVAL – LOADER/BACKHOE LABORER

- Loader

- Backhoe
- Laborer

24. TRENCH / HAND PAVING WORK

This work will include manpower, traffic control (if other than Police Detail), signs, preparation work, tack coat, saw-cutting, milling, installing $2\frac{1}{2}$ " of base course and $1\frac{1}{2}$ " of wearing course.

SQUARE FT RATE

- Trench/Hand paving work

25. CHIPPER / BUCKET TRUCK

Bucket Truck with a reach of no less than 70 vertical feet with operator

12" Chipper w/enclosed dump body chip truck capacity no less than 15 CY

18" Chipper w/ enclosed dump body chip truck capacity no less than 15 CY

The above listed bids are due on June 9, 2017 at 4:00 p.m. All bids must be received prior to 1:00 p.m. at the Derry Public Works Office, Derry Municipal Center, 14 Manning St., Derry, New Hampshire. Sealed envelopes containing bids must be clearly marked:

"Manpower/Equipment Bid".

All bids are considered valid until June 30, 2018

It must be noted that the Town requires that all contractors who work for the Town must carry sufficient insurance for all equipment and manpower and must present said insurance to the Town.

	Email Address:	
Contractor Name		
	Fax Number:	
Address		
	Phone Number:	
City, State Zip		

HOURLY RATE

HOURLY RATE