Town of Derry Manpower & Equipment Bid RFP

CONTRACTOR NAME:			_
1. BACKHOE WITH OPERATOR (MINIMUM THREE YEARS) YEAR/MAKE MODEL	•	ES) <u>MAX DEPTH</u>	HOURLY RATE
2. EXCAVATOR WITH OPERAT (MINIMUM THREE YEARS) YEAR/MAKE/MODEL		MAX DEPTH	HOURLY RATE
3. LOADER-FRONT END WITH (MINIMUM TWO YEARS EX YEAR/MAKE/MODEL		MAX DEPTH	HOURLY RATE
4. BULLDOZER (MINIMUM FOUR YEARS EXAR/MAKE/MODEL	XPERIENCE*) <u>GVW</u>		HOURLY RATE
5. RUBBER TIRED EXCAVATOR (MINIMUM FIVE YEARS EXTYEAR/MAKE/MODEL			HOURLY RATE

^{*}MINIMUM EXPERIENCE WILL BE ON THE PIECE OF EQUIPMENT SPECIFIED.

6. GRADER (MINIMUM FIVE YEARS EXPE YEAR/MAKE/MODEL	RIENCE*) GVW	HOURLY RATE
7. DUMP TRUCK (6 WHEELS) (CDLB REQUIRED. UP TO DATE YEAR/MAKE/MODEL	ΓΕ MEDICAL CARD) <u>GVW</u>	HOURLY RATE
8. DUMP TRUCK (10 WHEEL) (CDLB REQUIRED. UP TO DAY YEAR/MAKE/MODEL	TE MEDICAL CARD) <u>GVW</u>	HOURLY RATE
9. VIBRATORY ROLLER YEAR/MAKE/MODEL	<u>GVW</u>	HOURLY RATE
10. PLATE COMPACTOR		DAILY RATE
*MINIMUM EXPERIENCE WILL BE ON THE PIEC	E OF EQUIPMENT SPECIFIED.	

11. PAVEMENT CUTTER	
SAW TYPE	DAILY RATE
12. PIPE SAW	DAILY RATE
13. AIR COMPRESSORS WITH TOOLS	<u>DAILY RATE</u>
14. PICK UP TRUCK YEAR/MAKE/MODEL GVW	HOURLY RATE
15. JOB FOREMAN & LABORERS - Job Forman * - Laborers * The need for a job foreman, will be determined by the Town each job would require a foreman.	HOURLY RATE . Contractors should not assume that
16. HEAVY EQUIPMENT OPERATOR	

CAPABLE OF OPERATING HEAVY EQUIPMENT TO INCLUDE; BULLDOZERS UP TO D-9, EXCAVATORS UP TO 235 CAT., DUMP TRUCKS UP TO TRI-XLE, ETC.

MINIMUM (SIX (6) YEARS EXPERIENCE.

HOURLY RATE

_

17. BULLDOZER (D-8 OR EQUIVALENT W/OPERATOR)	
YEAR/MAKE/MODEL	HOURLY RATE
18. BULLDOZER (D-9 OR EQUIVALENT W/OPERATOR) YEAR/MAKE/MODEL	HOUDI V DATE
I EAN MARE/MODEL	HOURLY RATE
19. BULLDOZER (D4 OR EQUIVALENT W/OPERATOR) (MINIMUM THREE YEARS EXPERIENCE) YEAR/MAKE/MODEL	HOURLY RATE
20. OTHER EQUIPMENT PLEASE LIST WITH RATES	
EQUIPMENT NAME	RATE
21. ROADSIDE MOWING	
EQUIPMENT NAME	RATE

22. DRAINAGE INSTALLATION

This work will include all tools, trucks, manpower, traffic control, signs, and equipment necessary to install dual wall polyethylene pipe(aka.ADS or Hancor). It will include all labor to excavate, lay pipe to grade, and backfill in compacted lifts. All sand, gravel, stone, and pipe material will be supplied by the Town, but must be picked up by the contractor at the "Town Yard" unless otherwise agreed upon. Work to be completed at the direction and supervision of department employees. * Does not include ledge excavation.

6"ADS (underdrain)	2'-3' deep	\$ /foot
12"ADS	3'-5' deep	\$ /foot
12"ADS	6'-9' deep	\$ /foot
12"ADS	7'-12'deep	\$ /foot
15"ADS	3'-5' deep	\$ /foot
15"ADS	6'-9' deep	\$ /foot
15"ADS	7'-12' deep	\$ /foot
18"ADS	3'-5' deep	\$ /foot
18"ADS	6'-9' deep	\$ /foot
18"ADS	7'-12' deep	\$ /foot
24"ADS	3'-5' deep	\$ /foot
24"ADS	6'-9' deep	\$ /foot
24"ADS	7'-12' deep	\$ /foot
30"ADS	3'-5' deep	\$ /foot
30"ADS	6'-9' deep	\$ /foot
30"ADS	7'-12' deep	\$ /foot

Catch Basins Installed and backfilled.

All materials to be supplied by the town including sumps, risers, cones, top slabs, bricks, blocks, and mortar. These materials will be picked up by the contractor at the "Town Yard" unless otherwise agreed upon. Vertical footage will be measured from the bottom of the sump to the top of the rim on the casting.

4' inside diameter	\$/ Vertical foot
6' inside diameter	\$/ Vertical foot

Ledge

If ledge is encountered on projects under the above reference work the Town will be responsible for costs associated with blasting and/or hoe ramming of the ledge.

Note:

Usage of this item for drainage installation will be based on a typical one-day minimum of work (150-200 linear feet, plus one structure). * Contractors should be aware that the Town will insist that proper compaction techniques be utilized to provide a stable and safe trench. These techniques must conform to N.H.D.O.T. specifications.

These prices are based on installation of pipe in areas with little or no buried utilities on roadways with light traffic. Prices will be renegotiated in areas with multiple utilities and/or high traffic volumes. Furthermore, these prices reflect graveling to grade and do not include pavement restoration.

If conditions or circumstances dictate, the Town reserves the right to revert to the hourly equipment/manpower rates of the contractor performing the work, therefore it is important that contractors who submit bids for this item also submit bids for equipment/manpower rental. Additionally, the Town reserves the right to discharge said contractor if work is not progressing in a satisfactory manner. This decision will be at the Town's discretion.

^{*} The reference to minimum work of 150-200 feet per day refers to installation of new drainage piping; conditions and circumstances may allow or restrict the lineal footage in any particular day.

23. HYDRANT SNOW REMOVAL – LOADER/BACKHOE LABORER

		HOURLY RATE	
- - -	Loader Backhoe Laborer		
24.	TRENCH / HAND PAVING WORK		
	s work will include manpower, traffic control y-cutting, milling, installing 2 ½" of base cour	(if other than Police Detail), signs, preparation work, tack coat se and 1 ½" of wearing course.	,
		SQUARE FT RATE	
-	Trench/Hand paving work		
25.	CHIPPER / BUCKET TRUCK	HOURLY RATE	
Bu	cket Truck with a reach of no less than 70		
12"	'Chipper w/enclosed dump body chip tru	ck capacity no less than 15 CY	
18'	'Chipper w/ enclosed dump body chip tru	uck capacity no less than 15 CY	
1:0	0 p.m. at the Derry Public Works Of w Hampshire. Sealed envelopes contai	2018 at 4:00 p.m. All bids must be received prior of fice, Derry Municipal Center, 14 Manning St., Derry ning bids must be clearly marked:	
	-		
All	bids are considered valid until June 30	0, 2019	
suf		that all contractors who work for the Town must carried manpower and must present said insurance to the	
Con	tractor Name	Email Address:	
		Fax Number:	
Add		Phone Number:	
-ity	, same zap		